



**ME-5035**

Seat No. \_\_\_\_\_

**Second Year B. Sc. (Nursing) Examination**

**September - 2022**

**Medical Surgical Nursing**

Time : 3 Hours ]

[ Total Marks : 75

- Instructions :**
- (1) The number to the right indicates full marks.
  - (2) Draw diagrams wherever necessary.
  - (3) Answer each section in the respective answer sheet.
  - (4) Answer write legibly written in the inappropriate sectional answer book will not be assessed in any case.

**SECTION - A**

**38 Marks**

- 1 Attempt any three out of five : **3×5=15**
- (a) Stage of Wound Healing
  - (b) Emphysema
  - (c) Dietary Management in peptic ulcer
  - (d) Anesthesia
  - (e) Traction
- 2 Long Answer questions : **1×7=7**
- Mr. Kishan aged 45 years is admitted with the diagnosis of CCF. Answer the following :
- (a) Define the CCF and list out the clinical manifestations.
  - (b) Explain the management of CCF.

3 Attempt any one out of two long answer questions : 1×8=8

Mr. X is admitted with the diagnosis of bronchial asthma.

- (a) Define the bronchial Asthma.
- (b) List out the risk factors and clinical manifestations of bronchial Asthma.
- (c) Draw nursing process for patient with bronchial Asthma.

**OR**

Define the cirrhosis of liver.

- (a) Enlist the clinical manifestations and diagnostic evaluations of cirrhosis of liver.
- (b) Management of cirrhosis of liver.

4 Objective types questions : 1×8=8

(1) Shock is caused by \_\_\_\_\_

- (a) Dehydration
- (b) Spinal Injury
- (c) Burn
- (d) All of above

(2) Normal Adult Value for Serum Potasium is \_\_\_\_\_

- (a) 2.5-5.0 mEq/L
- (b) 6.5-9.0 mEq/L
- (c) 3.5-5.0 mEq/L
- (d) 7.5-9.0 mEq/L

- (3) A 24 years old female present with fever, sharp reterosternal pain and pain aggravates a coughing. She is suffering from \_\_\_\_\_
- (a) Angina Pectoris
  - (b) Acute Myocardial Infarction
  - (c) Pericarditis
  - (d) None of above
- (4) \_\_\_\_\_ is defined as a temporary cessation of breathing.
- (a) Apnea
  - (b) Dyspnea
  - (c) Anoxia
  - (d) Atelectasis
- (5) The condition in which the size of the tongue is abnormally small.
- (a) Ankyloglossia
  - (b) Cleft Tongue
  - (c) Microglossia
  - (d) Macroglossia
- (6) Asthama is basically \_\_\_\_\_
- (a) Infectious Disease
  - (b) Autoimmune Disease
  - (c) Actopic Disease
  - (d) Malignant Disease

- (7) Casing is also known as \_\_\_\_\_
- (a) Filling
  - (b) Dental Crowns
  - (c) Root Canal
  - (d) Dental Implant
- (8) The prefix that means fast is \_\_\_\_\_
- (a) Brady
  - (b) Trady
  - (c) Trache
  - (d) Dia

**SECTION - B**

**37 Marks**

**5** Attempt any three out of five : **3×5=15**

- (a) Renal Calculi
- (b) Biomedical Waste Management
- (c) Hemodialysis
- (d) Cushing Syndrome
- (e) BPH

**6** Long Answer questions : **1×7=7**

Mr. Y aged 55 years is admitted with the diagnosis of Diabetes Mellitus. Answer the following :

- (a) Enlist the cause , risk factors and type of Diabetes Mellitus.
- (b) Explain the management of Diabetes Mellitus.

- 7 Attempt any one out of two long answer questions : 1×8=8

Mrs. Sonal is admitted with the diagnosis of AIDS.

- (a) Write definition and enlist risk factors of AIDS.
- (b) List out the clinical manifestations and diagnostic evaluation of AIDS.
- (c) Describe the management of AIDS.

**OR**

Mrs. Rita age of 46 years admitted with diagnosis of Myocardial Infarction. Answer the following

- (a) Define the Myocardial Infarction.
- (b) List out the specific Investigation to rule out myocardial infarction.
- (c) Describe the management of Myocardial infarction.

- 8 Objective types questions : 1×7=7

(1) Farmer's Lip or Sailor's is also known as

\_\_\_\_\_

- (a) Actinic Cheilitis
- (b) Cheilitis Glandularis
- (c) Angular Cheilitis
- (d) Plasma Cheilitis

- (2) Removal of entire Lung is known as \_\_\_\_\_
- (a) Bilobectomy
  - (b) Lobectomy
  - (c) Pneumonectomy
  - (d) Pleurectomy
- (3) The term used to refer to infectual straining at stool is \_\_\_\_\_
- (a) Tenesmus
  - (b) Borborygmus
  - (c) Diverticulitis
  - (d) Azotorrhoea
- (4) To measure blood pressure correctly in mercury manometer the cuff should be \_\_\_\_\_
- (a) Cuff size should be have bladder width of 40% of the limb circumference.
  - (b) Cuff length should have 80% of length the circumference.
  - (c) Patient should not talk while Dr. is measuring blood pressure.
  - (d) All of the above.
- (5) The lower end of larynx is formed by \_\_\_\_\_ cartilages.
- (a) Thyroid
  - (b) Arytenoids
  - (c) Cricoids
  - (d) Cuneiforms

- (6) The most commonly cause of airway obstruction in an unconscious patients \_\_\_\_\_
- (a) Food
  - (b) Small object
  - (c) False teeth
  - (d) Tongue
- (7) The procedure in which a connection is created between the cyst and the small intestine is known as \_\_\_\_\_
- (a) Cystduodenostomy
  - (b) Cystjejunosotomy
  - (c) Cystgastrostomy
  - (d) All of Above
-